Technical Documentation of (EC) No 1275/2008

Entry	Product type	Notebook
<u>No.</u> 1	Manufacturer name, address	Acer Italy s.r.l, Viale delle Industrie 1/A, 20020 Arese (MI), Italy
2	Product model number	AN517-52
3	Year of manufacture	2020
4	For products with a display unit or light source, the total content of mercury is	0 mg
5	Power consumption of standby mode	0.27 Watt
6	Power consumption of off mode	0.27 Watt
7	The default time after which the power management function, or similar function, has switched the equipment into standby mode	Not applicable
8	The default time after which the power management function, or similar function, has switched the equipment into off mode	Not applicable
9	The default time after which the power management function, or similar function, has switched the equipment into another condition which does not exceed the applicable power consumption requirements for off mode and/or standby mode when the equipment is connected to the mains power source.	10800 seconds
10	Equipment characteristics relevant for assessing conformity with the requirements set out in point 2(c) and/or 2(d)	Not applicable
11	Technical justification that the requirements set out in points 2(c) and/or 2(d) are inappropriate for the intended use of equipment	Not applicable
12	Measurement methodology for standby mode	IEC 62301:2011

13	Measurement methodology for off mode	IEC 62301:2011
14	Description of how standby mode was	We follow the test procedure of IEC
	selected or programmed	62301:2011
15	Description of how off mode was selected	We follow the test procedure of IEC
	or programmed	62301:2011
16	Sequence of steps for achieving a stable	We follow the test procedure of IEC
		62301:2011
	condition with respect to power demand	02301.2011
17	Sequence of events leading to the	We follow the test procedure of IEC
	condition where the equipment	62301:2011
	automatically changes to standby mode	
18	Sequence of events leading to the	We follow the test procedure of IEC 62301:2011
	condition where the equipment	
	automatically changes to off mode	
	Notes regarding the operation of the	
19	equipment	Not applicable
20	Test parameter for ambient temperature	25 ℃
20	Test parameter for test voltage	230 V
22	Test parameter for frequency	50 Hz
	Test parameter for total harmonic	
23	•	3%
	distortion of the electricity supply system	
24	Test parameter for information and	Digital Power Meter- Yokogawa WT210 Programmable AC Source- EXTECH 6800 SERIES
	documentation on the instrumentation,	
	set-up and circuits used for electrical	
	testing	