



仅限货机
CAO



NO.2120019430



中国认可
检验
INSPECTION
CNAS IB0071

货物运输条件鉴定书

Certification
for Safe Transport of Chemical Goods

危险品

样品名称： 鋰電池/鋰電池蓄電池/鋰離子電池/鋰離子電池組/鋰離子蓄電池
組/鋰電池組/成品配件（條塊式鋰電池）/鋰電池（可充電）
AP16M5J(7.7V/37Wh)

Sample name: Battery/Li-Ion Battery Pack AP16M5J(7.7V/37Wh)

委托單位： 斯丹達(重慶)能源有限公司
STANDARD (Chongqing) Energy Co., Ltd.

生產單位： 斯丹達(重慶)能源有限公司
STANDARD (Chongqing) Energy Co., Ltd.



上海化工院檢測有限公司

Shanghai Research Institute of Chemical Industry Testing Co., Ltd



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019430

Page 1/3

样品名称 Sample name	中文 Chinese	鋰電池/鋰電池蓄電池/鋰離子電池/鋰離子電池組/鋰離子蓄電池組/鋰電池組/成品配件(條塊式鋰電池)/鋰電池(可充電) AP16M5J(7.7V/37Wh)		
	英文 English	Battery/Li-Ion Battery Pack AP16M5J(7.7V/37Wh)		
委托单位 Consignor		斯丹达(重庆)能源有限公司 STANDARD (Chongqing) Energy Co., Ltd.		
生产单位 Manufacturer		斯丹达(重庆)能源有限公司 STANDARD (Chongqing) Energy Co., Ltd.		
检验方法、程序 Inspection method and procedure		国际航空运输协会《危险品规则》61版 IATA Dangerous Goods Regulations (DGR) 61st Edition		
样品外观 Sample appearance		黑色塑料薄膜外壳 Black Plastic film shell		
包装件信息 Package information		鋰電池總淨重≤10kg。 Lithium batteries total net weight≤10kg.		
序号 NO.	電池種類 Battery type	型號 Model	容量Capacity /鋰含量Li content	放置方式 Placement
1	可充電鋰離子電池組 Rechargeable Li-ion battery	AP16M5J	37Wh	電池單獨運輸 Battery only
鉴定结论 IDENTIFICATION CONCLUSION	1. 危险性识别 (Hazards identification) 杂项。 Miscellaneous.			
	2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR) Shipping name: Lithium ion batteries Class or division: 9 UN Number: UN3480			
	3. 包装要求 (Packaging requirements) 按包装说明965第IB部分要求办理。 The goods are packaged according to the Packaging Instruction 965 section IB.			
	仅限货机。 Cargo Aircraft Only.			
检验日期: Inspection Date: 2019-12-15		签发日期: Issue Date: 2019-12-15		生效日期: Effective Date: 2020-01-01
备注 Comment		/		

批准
Approver: 张小明

审核
Checker: 董学胜

主检
Appraiser: 孙清




货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019430

Page 2/3





序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本报告所述锂电池按照《危险品规则》(61版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。</p> <p>本报告所述锂电池不属于因安全原因召回的锂电池。</p> <p>本报告所述锂电池不进行以回收或处置为目的的航空运输, 不属于废弃锂电池。</p> <p>Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IATA DGR 61st 3.9.2.6.1(e).</p> <p>Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons.</p> <p>Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.</p>
2	<p>本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。</p> <p>包装件能够承受1.2m跌落试验。</p> <p>Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.</p> <p>The package has passed the 1.2m drop test.</p> <p>UN38.3试验概要编号The UN38.3 Test Summary No. (s) 811900800230824</p> <p>详细信息请扫描右侧二维码。Please scan the QR code on the right for more information.</p> 
3	<p>锂电池完全封装在内包装内, 位于坚固的刚性外包装中。</p> <p>电池具有适当的防短路措施。</p> <p>Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging.</p> <p>Cells and batteries are properly protected to prevent short circuits.</p>
4	<p>按DGR IB部分托运的电池必须根据第8部分规定在托运人申报单中描述; 并且当使用航空货运单时, 货运单必须包含8.2.1和8.2.2中相关适用要求。</p> <p>Cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as set out in Section 8, and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.</p>
5	<p>除使用9类锂电池危险性标签(DGR图7.3.X)外, 每个包装件必须按DGR图7.1.C所示做耐久清晰的标记。</p> <p>每个包装件必须按DGR7.1.4.1(a)和(b)要求标记, 此外当7.1.4.1(c)有要求时还必须标明包装件净重。</p> <p>每个包装件必须贴有“仅限货机”标签(DGR图7.4.B)。</p> <p>Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR in addition to the Class 9-Lithium Battery hazard label (Figure 7.3.X in IATA DGR).</p> <p>Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the net weight when required by 7.1.4.1(c) must be marked on the package.</p> <p>Each package must be labelled with the "Cargo Aircraft Only" label(Figure 7.4.B in IATA DGR).</p>
6	<p>根据委托单位声明, 本报告所述锂离子电池交付运输时, 其荷电状态必须不超过额定容量的30%。</p> <p>According to the statement of the consignor, lithium ion cells and batteries listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.</p>
7	<p>电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。</p> <p>Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).</p>
-验证码:301642-	

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2120019430

Page 3/3



acer
(品牌/型号) AP16M5J

(锂离子电池/锂离子电池) Rechargeable Li-ion Battery Pack

(电压/电压) Rating: 7.7V --- (容量/容量) TYP 4610mAh / 37Wh
(额定容量/额定容量) MIN 4660mAh / 35.9Wh

CAUTION: Risk of explosion if battery is replaced by an incorrect type.
Dispose of used batteries according to the instructions. Risk of fire and burns.
Do not open, crush, heat above (manufacturer's specified maximum temperature)
or incinerate. Follow manufacturer's instructions. Charging current 3.022A /
(充电电流/电压) voltage 8.8V. Max. operation temperature is 40°C.

ACHTUNG: Bei Verwendung anderer Batterien besteht
Feuer- oder Explosionsgefahr. Siehe die Vorschriften/Anleitung in der Bedienungsanleitung.
Wenn Sie Fragen oder Kommentare bezüglich der Akkubatterie haben,
wenden Sie sich bitte an den Computerhersteller.

ATTENTION! Remplacez que par une autre batterie de même type
ou de même qualité recommandée par le constructeur.

Remplacez ou réparez les batteries usagées conformément aux instructions du fabricant.

报告结束